Volume 1, Issue 9

Newsletter Date October 1, 2012

National survey shows reduction in non-medical prescription drug use among young adults

Media Press Office

The number of people aged 18 to 25 who used prescription drugs for non-medical purposes in the past month declined 14 percent - from 2.0 million in 2010 to 1.7 million in 2011 the U.S. Substance Abuse and Mental Health Services Administration (SAMHSA) announced today, during the 23rd annual national observance of National Recovery Month. Non-medical use of prescription drugs among children aged 12 to 17 and adults aged 26 or older remained unchanged.

In addition, the 2011 National Survey on Drug Use and Health (NSDUH), a survey conducted annually by SAMHSA, showed that the rates of past month drinking, binge drinking and heavy drinking among underage people continued a decline from 2002. Past month alcohol use among 12 to 20 year olds declined from 28.8 percent in 2002 to 25.1 percent in 2011,

Contact: SAMHSA or more drinks on a single occasion number of people aged 12 and days) declined from 19.3 percent in year rose from 373,000 in 2007 to Updates heavy drinking declined from 6.2 2011. percent in 2002 to 4.4 percent in "These findings show that national -

Overall, the use of illicit drugs prescription drug misuse may be among Americans aged 12 and beginning to bear fruit and we must older remained stable since the last continue to apply this pressure to survey in 2010. The NSDUH shows drive down this and other forms of that 22.5 million Americans aged substance use," said SAMHSA Ad-12 or older were current (past ministrator Pamela S. Hyde. "Behind month) illicit drug users -- (8.7 per- each of these statistics are individucent of the population 12 and older als, families and communities sufin 2011 versus 8.9 percent in fering from the consequences of

adults (ages 18 to 25), and adults NSDUHresults2011.pdf

Date: 9/24/2012 12:30 PM while binge drinking (consuming 5 (ages 26 or older). Additionally, the on at least 1 day in the past 30 older who used heroin in the past Inside this issue: Changes and 2002 to 15.8 percent in 2011, and 621,000 in 2010 and 620,000 in

> efforts to address the problem of abuse and addiction. We must con-Marijuana continues to be the most tinue to promote robust prevention, commonly used illicit drug. In 2011, treatment and recovery programs scarrico@cji.in.gov 7.0 percent of Americans were cur- throughout our country." The underrent users of marijuana - up from age tobacco rate of past month use Shannon Buskirk-Program 5.8 percent in 2007. Among youths among 12 to 17 year olds continued aged 12 to 17, the rate of current to decline from 15.2 percent in marijuana use remained about the 2002, to 10.7 percent in 2010 and same from 2009 (7.4 percent) to 10.0 percent in 2011. The com-2011 (7.9 percent). Increases in the plete survey findings are available rate of current marijuana use oc- on the SAMHSA web site at: curred from 2007 to 2011 among http://www.samhsa.gov/data/ adolescents (ages 12-17), young $\overline{\hbox{NSDUH/2k11Results/}}$

Reduction in Non-medical	1
Substance Abuse Division	1
Monroe CARES, Warren County	2
Prescription Drug Abuse, IPRC	3

ICJI Substance Abuse Division Staff Sonya Carrico-Director 317-232-1289

Manager 317-234-4543 sbuskirck@cji.in.gov

Stephanie Edwards-Program Manager 317-234-4387 sedwards1@cji.in.gov

Substance Abuse Division

Criminal Justice Institute

Suite 1170 East 101 W Washington St Indianapolis, IN 46201

Phone: 317-232-1233 Fax: 317-232-1295 E-mail: scarrico@cji.in.gov sbuskirk@cji.in.gov sedwards1@cji.in.gov pdaugherty@cji.in.gov

If you would like to submit information for the newsletter, email sedwards1@cji.in.gov

From Division Director Carrico:

It is with a great deal of sadness I notify you know Patty Daugherty is no longer part of ICJI. She has resigned to pursue a position that takes her closer to her family and also affords her the ability to assist family members whom are experiencing sudden major health problems.

Therefore, please contact the former Program Manger you worked with prior to Patty; myself, fight prescription drug abuse. He says that's Stephanie or Shannon. If you sent Patty an email any time since September 12th, please forward Indiana State Department of Health data the email to the correct person so we can ensure shows more than 650 Hoosiers lost their lives a timely response.

Should you have any questions, please feel free to contact us. We apologize for the inconvenience.

Anti-Rx overdose campaign hits Indiana high-

Drivers along some Indiana highways soon will be met with the message that every 25 minutes someone dies from a prescription drug overdose in the U.S. Attorney General Greg Zoeller said Monday that 10 billboards are going up in Marion, Allen, Monroe, Jackson and Scott counties as part of a campaign to the nation's fastest growing drug problem.

to drug overdoses in 2010. A new Prescription Drug Abuse Task Force consisting of lawmakers, police, health officials, pharmaceutical representatives and others met for the first time last week.

Volume 1, Issue 9

October is National Medicine Abuse Awareness

On Wednesday night, the U.S. Senate passed a resolution naming October a National Medicine Abuse Awareness Month, CADCA and the Consumer Healthcare Products Association (CHPA) applaud the U.S. Senate for passing S.Res.564, which calls for increased national attention and awareness of prescription and over-the-counter (OTC) medicine abuse among teens.

The resolution, sponsored by U.S. Senators Dianne Feinstein (D-Calif.) and Chuck Grassley (Rlowa), urges communities to carry out programs and activities to educate parents and youth of the potential dangers associated with medicine abuse. "While over-the-counter and prescription medicines are safe and necessary when used properly, too many teens are abusing these drugs to get high. That's why we commend the U.S. Senate for passing this important resolution," said Gen. Arthur T. Dean, CADCA chairman and

CEO."

Throughout National Medicine Abuse Aware-

ness Month, CADCA coalitions all across the United States will be holding events to educate their communities about the dangers of medicine abuse and to discuss solutions to the problem. These grassroots efforts can spur a nationwide dialogue about prescription and over-thecounter drug abuse in communities and among families across the country."

CADCA is a partner of CHPA's StopMedicine-Abuse campaign to increase parental awareness of teen abuse of OTC cough medicines containing dextromethorphan. According to the National Institute on Drug Abuse's 2011 Monitoring the Future Survey, approximately 5 percent of teens have abused these medicines - sometimes as much as 25 times the recommended dose - to get high.

"Over-the-counter cough medicine abuse is a

behavior that often goes undetected by parents. The mission of our StopMedicineAbuse campaign is to educate parents about this issue and to encourage them to talk to their teens and to safeguard their medicines. We thank the Senate for bringing medicine abuse to the national forefront so that we can all work together to raise awareness," said CHPA President and CEO Scott M. Melville.

CADCA has developed a Grassroots Media Kit with a sample resolution that communities can take to their local or state government. To download the resolution template, click here. The full Grassroots Media Kit is available here. To learn more about National Medicine Abuse Awareness Month and about all of CADCA and CHPA's activities to curb prescription and OTC cough medicine abuse and to order free brochures, visit PreventRxAbuse.org and Stop-MedicineAbuse.org.

Calling on students: Make the Call

WEST LAFAYETTE, Ind. - Purdue University stu- Student Wellness Office. "This was disconcerting * Heart beats irregularly or stops dents and staff are rolling out a new online video, because a person's blood alcohol concentration * Hypothermia (low body temperature) "Make the Call," to explain alcohol poisoning and urge everyone to call for help when someone is in a life-threatening situation after drinking.

The video also explains the Indiana Lifeline law and Purdue medical amnesty policy, both designed to protect individuals from legal or disciplinary action when they call for help.

"The Indiana Lifeline law and Purdue's medical amnesty policy were set in place by students for students," said Joseph Rust, president of Purdue and legal system will support their decision to Student Government. "Students' well-being comes first, and that's what this video is conveying. It's telling students 'Make the call. Get help. Save a life."

The video, available at http://www.purdue.edu/ makethecall, depicts a student who has alcohol cannot be awakened poisoning and how his friends make the decision to call for help. It includes commentary from Dana Wislocki, a Purdue paramedic, and Jeffery Stefancic, the associate dean of students in the not waking up after vomiting Office of Student Rights and Responsibilities.

"Previous data showed the primary way that students responded to alcohol poisoning was to such as: monitor a person who had passed out," said * Victim chokes on his or her own vomit Tammy Loew, health advocacy coordinator for the * Breathing slows, becomes irregular or stops

can continue to rise even while he or she is * Hypoglycemia (too little blood sugar) leads to passed out. Even after a person stops drinking, alcohol in the stomach and intestine continues Untreated severe dehydration from vomiting to enter the bloodstream and circulate through- can cause seizures, permanent brain damage out the body. It is dangerous to assume the or death. person will be fine by sleeping it off.

The most important response is to make the call and get the victim medical attention. Students also needed to know that the university the victim can ingest a fatal dose before beget medical attention."

Purdue Fire Chief Kevin Ply, whose paramedics respond to calls for help, says critical signs of alcohol poisoning include any of the following:

- * Cold, moist, pale skin
- * Slow, shallow breathing
- * Vomiting while "sleeping" or passed out, and

If alcohol poisoning goes untreated, Ply says, it 2084, jnorberg@purdue.edu can result in several life-threatening situations,

- seizures

Even if the victim lives, an alcohol overdose can lead to irreversible brain damage. Rapid binge drinking is especially dangerous because coming unconscious.

"This video is a collaborative effort involving several campus partners, including students, Loew said. "We're pleased that the information is now readily available in one location, and we Person is unconscious or semiconscious and hope that student groups of all sorts watch it and spread the word.

> "While we hope they never need it, students will find the information they need to save a life."

Writer: Jeanne Norberg, 765-494-

Sources: Tammy 765-496-6780. tfloew@purdue.edu

Joseph Rust, 765-494-7201, rust@purdue.edu Kevin Ply, 765-494-6919, kmply@purdue.edu

Monroe County CARES

When: October 18th from 3-5 Where: First Christian Church 205 E. Kirkwood Avenue Bloomington, IN



About the CARES board: Monroe County CARES Inc., is a local coordinating council of the

Governor's Commission for a Drug Free Indiana, and is designed to coordinate, support, and promote local efforts to prevent and reduce harmful involvement with alcohol and other drugs. www.monroecountycares.org

Questions? Contact Lisa Meuser at: 812.327.3642 or Ilmeuser@me.com



Warren County LCC

The Warren County LCC will host a luncheon at Hotel Attica (126 North Perry Street Attica, Indiana 47918) on Oct 18 at 11:30 (cost of lunch paid by attendee) Sheriff Rusty Hart has arranged for a guest to speak to us. The guest was arrested for a meth lab in her home. She lost her children. She has made a complete recovery and now successfully operates a local restaurant.

Secondly Probation Officer Stacy Miley has arranged for a man who is in the Drug Accountability Court Program. He will share his thoughts and his progress.

Contact Roy Stroud at rls11161947@gmail.com for more information.

Volume 1, Issue 9

Bill Would Require Most Painkillers to Have Safeguards to Prevent Abuse

A bill to be introduced Thursday in the U.S. House would require most painkillers to have safeguards to prevent abuse, The Wall Street Journal reports.

Under the provisions of the bill, most prescription painkillers would have some form of abuse deterrence, such as being more difficult to crush or inject. The exact details of how drug manufacturers could meet the new standards are vague, the article notes. The bill does not set time lines for compliance.

If pain medications did not adopt the safety features outlined in the

bill, they would be removed from the Food and Drug Administration's (FDA) approved list of generic drugs. While several brandname painkillers, such as OxyContin and Opana, have tamperresistant formulations, most generic painkillers do not.

Patents for OxyContin and Opana are set to expire in 2013. The FDA has not yet ruled whether abusedeterrent features will be required on the generic versions of those drugs.

"This bill should help protect firsttime users and younger people who gain access through relatives or their own family's medicine cabinets," the measure's lead sponsor, Rep. Bill Keating of Massachusetts, told the newspaper. Congress "understanding the scope of this and looking at it as a major public health epidemic," he added.

He said there is broad bipartisan support in the House for the measure. The bill's cosponsors are Republicans Mary Bono Mack of California and Hal Rogers of Kentucky, and Democrat Stephen Lynch of Massachusetts.

The Generic Pharmaceutical Association opposes the bill. proposed legislation would be detrimental to patients and could potentially remove FDA-approved safe and effective generic medicines from those who rely on them," said the group's president, Ralph G. Neas. "Addressing prescription-drug abuse is of utmost importance to the generic pharmaceutical industry. Policy makers should let the medical evidence guide actions in addressing this critical issue."

Annual Indiana youth survey: Upward trend of marijuana use stalls, OTC drug use a concern

FOR IMMEDIATE RELEASE Sept. 5, 2012

BLOOMINGTON, Ind. -- Alcohol, cigarette and marijuana use by Indiana sixth- through 12-graders has declined or held steady since 2011. This trend signals an end to the rise in marijuana use among Indiana youth seen since 2008. However, findings from the 22nd Annual Survey of Alcohol, Tobacco and Other Drug Use revealed an increase in over-the-counter drug abuse among sixth-graders.

"In the U.S. it has been shown that the leading over-the-counter drug abused in the U.S. is dextromethorphan, which is found in more than 120 cough and cold medications," said Ruth Gassman, director of the Indiana Prevention Resource Center at Indiana University's School of Public Health-Bloomington; the center conducted the survey. "Using medications with this ingredient as directed is safe; however, youth who consume large quantities do so to achieve dissociative effects, such as hallucinations,

euphoria and dream-like states.

any age may purchase these the Monitoring the Future Sur- students in public and private cough and cold medications, and vey, an ongoing study con-schools. certainly they are accessible from ducted by the University of This was the first year that the family medicine cabinet. Some Michigan on the behaviors, schools had the option of adminvendors have chosen voluntarily to attitudes and values of Ameri- istering the survey either online restrict the sale of these sub- can secondary school students, or by paper and pencil. Close to stances to minors."

New mental health questions on adults. this year's survey revealed that New survey questions: Pre- tion is that this number will in-27.4 percent of Indiana 10th- scription drugs, mental health graders reported feeling sad or The 2012 survey included sev- "Given that the majority of hopeless, and 8.2 percent of eral new questions that asked schools in Indiana have comeighth-graders attempted suicide

Marijuana use

upward trend in lifetime and past- rectly to mental health. Stu- tors and students," Gassman month useage of marijuana among dents were asked about having said. several grades.

"While this is good news, we need whether they had a parent who source Center provides subto be concerned that youth may served in the military, and also stance abuse and gambling instead be using other drugs that whether they had a parent who prevention, treatment and recovmimic marijuana," Gassman said. was incarcerated during the ery resources and services for "Drugs such as K2 and Spice are past year. banned in Indiana, but some busi- The survey, coordinated by the schools and communities nesses are selling it surrepti- Indiana Prevention Resource throughout Indiana. tiously."

The 2011 lifetime rates of mari- ana Family and Social Services online. juana use in Indiana are lower Administration's Division

Center and funded by the Indi- The full survey report is available

than national rates for Grades Mental Health and Addiction, "In Indiana," she said, "children of 10 and 12 based on data from was administered to 138,519

> college students and young 18,000 students participated electronically, and the expectacrease in the future.

students about their access to puter labs, the online survey is prescription drugs in addition an easy, economical and confi-The survey revealed an end to the to questions that pertain di- dential approach for administra-

> suicidal thoughts and feelings, The Indiana Prevention Rethose working with youth in

Reminders

CCP/Updates due November 1, 2012

Crawford, Delaware, Floyd, Fulton, Ohio, Scott, Starke, Switzerland, Wells, Clinton

Next Commission Meeting:

October 30,2012 10:00am-2:00pm



LCC's presenting:

Carroll, Clay, Clinton, Daviess, Decatur, Hamilton, Harrison, Howard, Huntington, Jackson, Jasper, Monroe, Montgomery, Newton, Noble, Orange, Owen, Steuben, St. Joseph, Sullivan, Tippecanoe, Tipton, Vanderburgh, Vermillion, White and Whitley

Please let your Program Manager know if you plan to attend, or would like to submit information.

The Governor's Commission for a Drug-Free Indiana

Volume 1, Issue 9